

Please amend the present application as follows:

Claims

The following is a copy of Applicant's claims that identifies language being added with underlining ("____") and language being deleted with strikethrough ("—"), as is applicable:

1. (Currently amended) A method for facilitating printing, comprising the steps of:

installing a proxy driver in a uncontrolled space of the computing device, the proxy driver being configured translate print data generated by a user application into a format that can be printed by a local printer for which no driver exists in a controlled space of the computer to which the user does has no access;

receiving ~~printable~~ print data from a user application with a printing controller stored in the controlled space of the computer device;

forwarding the printable data from the printing controller to a ~~the~~ proxy driver;
translating the print data into a format that can be printed by the local printer using the proxy driver;

receiving ~~processed~~ translated data from the proxy driver with the printing controller; and

forwarding the ~~processed~~ translated data as a print job from the printing controller to a the local printing device.

2-4. (Canceled)

5. (Currently amended) The method of claim 1, further comprising the step of searching for the proxy driver prior to forwarding the ~~printable-print~~ data to the proxy driver.

6. (Currently amended) The method of claim 6~~1~~, further comprising the step of prompting a user to select a local printing device to which to forward the ~~printable-data-print job~~.

7. (Currently amended) A user printing system, comprising:
means for installing a proxy driver in an uncontrolled space of a computing device;

means, stored in a controlled space of the computing device to which the user does not have access, for receiving ~~printable-print~~ data;

means for forwarding the ~~printable-print~~ data to a ~~the~~ proxy driver;

means for receiving ~~proeessed-translated~~ data from the proxy driver; and

means for forwarding the ~~proeessed-translated~~ data as a print job to a local printing device.

8-9. (Canceled)

10. (Original) The system of claim 7, further comprising means for searching for the proxy driver.

11. (Currently amended) The system of claim 10, further comprising means for prompting a user to select a local printing device to which to forward the ~~printable data~~ print job.

12. (Currently amended) A computing device, comprising:
a processing device;
memory, ~~the memory~~ comprising a controlled space to which access is limited such that a user of the computing device cannot install software in the controlled space and an uncontrolled space in which the user can install software; and
a proxy driver stored in the controlled space, the proxy driver being configured to translate print data into a print job for a local printing device; and
~~a~~ an off-site printing controller stored in the controlled space of the memory, the printing controller being configured to receive ~~printable-print~~ data selected by the user for printing from a user application, to forward the ~~printable-print~~ data to a ~~the~~ proxy driver stored in the controlled space, to receive ~~proeessed-translated~~ data from the proxy driver, and to forward the ~~proeessed-translated~~ data as a print job to a ~~the~~ local printing device.

13-15. (Canceled)

16. (Currently amended) A computer-readable medium for use with a computing device, comprising:

logic configured to receive ~~printable-print~~ data from a user application of the computing device, the data intended for printing by a local printing device for which no driver is stored within a controlled space of the computing device;

logic configured to forward the ~~printable-print~~ data to a proxy driver that has been installed in an uncontrolled space of the computing device by the user, the proxy driver being configured to translate the print data into a print job for the local printer;
and

logic configured to receive ~~processed-translated~~ data from the proxy driver;
and ~~logic configured to then~~ forward the ~~processed-translated~~ data as a print job to a the local printing device.

17-18. (Canceled)

19. (Original) The device of claim 16, further comprising logic configured to search for the proxy driver.

20. (Currently amended) The device of claim 19, further comprising logic configured to prompt a user to select a local printing device to which to forward the printable data.